

| DESCRIPTION  | PERMIT<br>REQUIRED (yes or<br>no)                    | PERMIT FEE | INSPECTION<br>FEE        |
|--|--|------------|--------------------------|
| <b>Aerosol products.</b> An operational permit is required to manufacture, store or handle an aggregate quantity of Level 2 or Level 3 aerosol products in excess of 500 pounds (227 kg) net weight.   | Yes (annual/per location)                            | \$185      | see inspection fee below |
| <b>Amusement buildings.</b> An operational permit is required to operate a special amusement building.   | Yes (annual/per location or mobile 30 days/location) | \$185      | see inspection fee below |
| <b>Aviation facilities.</b> An operational permit is required to use a Group H or Group S occupancy for aircraft servicing or repair and aircraft fuel-servicing vehicles. Additional permits required by other sections of this code include, but are not limited to, hot work, hazardous materials and flammable or combustible finishes | Yes (annual/per location)                            | \$185      | see inspection fee below |
| <b>Carnivals and fairs.</b> An operational permit is required to conduct a carnival or fair.   | Yes (30 days per location)                           | \$185      | No                       |
| <b>Cellulose nitrate film.</b> An operational permit is required to store, handle or use cellulose nitrate film in a Group A occupancy.  | Yes (annual/per location or mobile 30 days/location) | \$185      | see inspection fee below |
| <b>Combustible dust-producing operations.</b> An operational permit is required to operate a grain elevator, flour starch mill, feed mill, or a plant pulverizing aluminum, coal, cocoa, magnesium, spices or sugar, or other operations producing combustible dusts as defined in Chapter 2.  | Yes (annual/per location)                            | \$185      | see inspection fee below |
| <b>Combustible fibers.</b> An operational permit is required for the storage and handling of combustible fibers in quantities greater than 100 cubic feet (2.8 m3).<br><b>Exception:</b> An operational permit is not required for agricultural storage.   | Yes (annual/per location)                            | \$185      | see inspection fee below |
| <b>Compressed gas.</b> An operational permit is required for the storage, use or handling at normal temperature and pressure (NTP) of compressed gases in excess of the amounts listed below.<br><b>Exception:</b> Vehicles equipped for and using compressed gas as a fuel for propelling the vehicle.                                    |  |            |                          |

|  |  |  |   |           |                 |             |             |     |                                   |    |  |  |   |
|--|--|--|---|-----------|-----------------|-------------|-------------|-----|-----------------------------------|----|--|--|---|
| <p style="text-align: center;"><b>PERMIT AMOUNTS FOR COMPRESSED GASES</b></p> <p style="text-align: center;"><b>TYPE OF GAS</b></p> <p style="text-align: center;"><b>Amount</b></p> <p>Corrosive 200<br/>CF</p> <p>Flammable (except cryogenic fluids and liquefied petroleum gases) 200<br/>CF</p> <p>Highly toxic Any<br/>Amount</p> <p>Inert and simple asphyxiant 6,000<br/>CF</p> <p>Oxidizing (including oxygen) 504<br/>CF</p> <p>Toxic Any<br/>Amount</p> <p>For SI: 1 cubic foot = 0.02832 m3.</p>   | <p style="text-align: center;">Yes (annual/per location)</p> | <p style="text-align: center;">\$185</p> | <p style="text-align: center;">see inspection fee below</p> |           |                 |             |             |     |                                   |    |  |  |   |
| <p><b>Covered mall buildings.</b> An operational permit is required for:</p> <ol style="list-style-type: none"> <li>1.The placement of retail fixtures and displays, concession equipment, displays of highly combustible goods and similar items in the mall.</li> <li>2.The display of liquid-fired or gas-fired equipment in the mall.</li> <li>3.The use of open-flame or flame-producing equipment in the mall.</li> </ol>  | <p style="text-align: center;">Yes (annual/per location)</p> | <p style="text-align: center;">\$185</p> | <p style="text-align: center;">see inspection fee below</p> |           |                 |             |             |     |                                   |    |  |  |   |
| <p><b>Cryogenic fluids.</b> An operational permit is required to produce, store, transport on site, use, handle or dispense cryogenic fluids in excess of the amounts listed below.</p> <p><b>Exception:</b> Operational permits are not required for vehicles equipped for and using cryogenic fluids as a fuel for propelling the vehicle or for refrigerating the lading.</p> <p style="text-align: center;"><b>PERMIT AMOUNTS FOR CRYOGENIC GASES</b></p> <p style="text-align: center;"><b>TYPE OF CRYOGENIC FLUID</b></p> <table border="0" style="width: 100%;"> <tr> <td style="width: 50%;"><b>Inside Building</b></td> <td style="width: 50%;"><b>Outside Building</b></td> </tr> <tr> <td style="text-align: center;">(gallons)</td> <td style="text-align: center;">(gallons)</td> </tr> <tr> <td>Flammable<br/>60</td> <td>More than 1</td> </tr> <tr> <td>Inert<br/>60</td> <td>500</td> </tr> <tr> <td>Oxidizing (includes oxygen)<br/>10</td> <td>50</td> </tr> </table> | <b>Inside Building</b>                                       | <b>Outside Building</b>                  | (gallons)   | (gallons) | Flammable<br>60 | More than 1 | Inert<br>60 | 500 | Oxidizing (includes oxygen)<br>10 | 50 | <p style="text-align: center;">Yes (annual/per location)</p> | <p style="text-align: center;">\$185</p> | <p style="text-align: center;">see inspection fee below</p> |
| <b>Inside Building</b>   | <b>Outside Building</b>                                      |  |   |           |                 |             |             |     |                                   |    |  |  |   |
| (gallons)  | (gallons)  |  |   |           |                 |             |             |     |                                   |    |  |  |   |
| Flammable<br>60  | More than 1  |  |   |           |                 |             |             |     |                                   |    |  |  |   |
| Inert<br>60  | 500  |  |   |           |                 |             |             |     |                                   |    |  |  |   |
| Oxidizing (includes oxygen)<br>10  | 50   |  |   |           |                 |             |             |     |                                   |    |  |  |   |

|   |  |       |   |
|---|--|-------|---|
| Physical or health hazard not indicated above<br>Any Amount<br>Any Amount<br>For SI: 1 gallon = 3.785 L.  |  |       |   |
| <b>Cutting and welding.</b> An operational permit is required to conduct cutting or welding operations within the jurisdiction.   | Yes (per event/location)   | \$185 | No  |
| <b>Dry cleaning plants.</b> An operational permit is required to engage in the business of dry cleaning or to change to a more hazardous cleaning solvent used in existing dry cleaning equipment.  | Yes (annual/per location)  | \$185 | see inspection fee below  |
| <b>Exhibits and trade shows.</b> An operational permit is required to operate exhibits and trade shows.   | Yes (per event/location)   | \$185 | No  |
| <b>Explosives, fireworks and pyrotechnics.</b> An operational permit is required for the manufacture, storage, handling, sale or use of any quantity of explosive, explosive materials, fireworks, pyrotechnic special effects, or pyrotechnic special effects material within the scope of Chapter 56.<br><br><b>Exception:</b> Storage in Group R-3 or R-5 occupancies of smokeless propellant, black powder and small arms primers for personal use, not for resale and in accordance with the quantity limitations and conditions set forth in Section 5601.1, exception numbers four and twelve. | Fixed Facility:yes (annual/per location)<br>Site Storage: yes (30 days) in addition to use,<br>Use/Blasting: Yes (per event- 30 days maximum/location),<br>Fireworks (Wholesale- Yes: 60 days/location)<br>(Retail -Yes: 60 days/location)<br>(Display/Use - Yes: per event 1 day only/location) | \$500 | Fixed Facility and site storage (see inspection fee below),Use/Blasting (no),<br>Fireworks Retail (Yes) Fireworks use/display(No) |
| <b>Fire hydrants and valves.</b> An operational permit is required to use or operate fire hydrants or valves intended for fire suppression purposes that are installed on water systems and accessible to a fire apparatus access road that is open to or generally used by the public.<br><br><b>Exception:</b> An operational permit is not required for authorized employees of the water company that supplies the system or the fire department to use or operate fire hydrants or valves.   | Yes (per event/location)   | \$185 | No  |
| <b>Flammable and combustible liquids.</b> An operational permit is required:  |  |       |   |

1.To use or operate a pipeline for the transportation within facilities of flammable or combustible liquids. This requirement shall not apply to the offsite transportation in pipelines regulated by the Department of Transportation (DOTn) nor does it apply to piping systems.

2.To store, handle or use Class I liquids in excess of 5 gallons (19 L) in a building or in excess of 10 gallons (37.9 L) outside of a building, except that a permit is not required for the following:

2.1.The storage or use of Class I liquids in the fuel tank of a motor vehicle, aircraft, motorboat, mobile power plant or mobile heating plant, unless such storage, in the opinion of the fire official, would cause an unsafe condition.

2.2.The storage or use of paints, oils, varnishes or similar flammable mixtures when such liquids are stored for maintenance, painting or similar purposes for a period of not more than 30 days.

3.To store, handle or use Class II or Class IIIA liquids in excess of 25 gallons (95 L) in a building or in excess of 60 gallons (227 L) outside a building, except for fuel oil used in connection with oil-burning equipment.

4.To remove Class I or Class II liquids from an underground storage tank used for fueling motor vehicles by any means other than the approved, stationary on-site pumps normally used for dispensing purposes.

5.To operate tank vehicles, equipment, tanks, plants, terminals, wells, fuel-dispensing stations, refineries, distilleries and similar facilities where flammable and combustible liquids are produced, processed, transported, stored, dispensed or used.

6.To install, alter, remove, abandon, place temporarily out of service (for more than 90 days) or otherwise dispose of an underground, protected above-ground or above-ground flammable or combustible liquid tank.

Yes (annual/per location)

\$185

see inspection fee below

|   |   |              |                                 |
|---|---|--------------|---------------------------------|
| <p>7.To change the type of contents stored in a flammable or combustible liquid tank to a material that poses a greater hazard than that for which the tank was designed and constructed.</p> <p>8.To manufacture, process, blend or refine flammable or combustible liquids.</p>   |   |              |                                 |
| <p><b>Floor finishing.</b> An operational permit is required for floor finishing or surfacing operations exceeding 350 square feet (33 m2) using Class I or Class II liquids.</p>   | <p>Yes (30 days per location)</p>         | <p>\$185</p> | <p>No</p>                       |
| <p><b>Fruit and crop ripening.</b> An operational permit is required to operate a fruit- or crop-ripening facility or conduct a fruit-ripening process using ethylene gas.</p>  | <p>Yes (annual per location)</p>          | <p>\$185</p> | <p>see inspection fee below</p> |
| <p><b>Fumigation and thermal insecticidal fogging.</b> An operational permit is required to operate a business of fumigation or thermal insecticidal fogging and to maintain a room, vault or chamber in which a toxic or flammable fumigant is used.</p>   | <p>Yes (annual for facility/location)</p> | <p>\$185</p> | <p>see inspection fee below</p> |
| <p><b>Hazardous materials.</b> An operational permit is required to store, transport on site, dispense, use or handle hazardous materials in excess of the amounts listed below.</p> <p style="text-align: center;"><b>PERMIT AMOUNTS FOR HAZARDOUS MATERIALS</b></p> <p><b>TYPE OF MATERIAL</b></p> <p><b>Amount</b></p> <p>Combustible liquids                    see flammable and commustible liquids</p> <p><b>Corrosive materials</b></p> <p>Gases<br/>see compressed gases</p> <p>Liquids<br/>55 gallons</p> <p>Solids<br/>1000 pounds</p> <p>Explosive materials<br/>see explosives</p> <p><b>Flammable materials</b></p> <p>Gases<br/>see compressed gases</p> <p>Liquids<br/>see flammable and comustible liquids</p> <p>Solids<br/>100 pounds</p> <p><b>Highly toxic materials</b></p> |   |              |                                 |

|                                      |                           |       |                          |
|--------------------------------------|---------------------------|-------|--------------------------|
| Gases<br>see compressed gases        |                           |       |                          |
| Liquids<br>any amount                |                           |       |                          |
| Solids<br>any amount                 |                           |       |                          |
| <b>Oxidizing materials</b>           |                           |       |                          |
| Gases<br><u>see compressed gases</u> |                           |       |                          |
| <u>Liquids</u>                       |                           |       |                          |
| Class 4<br>any amount                |                           |       |                          |
| Class 3<br>1 gallon <sup>a</sup>     |                           |       |                          |
| Class 2<br>10 gallons                |                           |       |                          |
| Class 1<br>55 gallons                |                           |       |                          |
| <u>Solids</u>                        |                           |       |                          |
| Class 4<br>any amount                |                           |       |                          |
| Class 3<br>1 gallon <sup>b</sup>     |                           |       |                          |
| Class 2<br>100 gallons               |                           |       |                          |
| Class 1<br>500 gallons               |                           |       |                          |
| <b>Organic peroxides</b>             |                           |       |                          |
| <u>Liquids</u>                       |                           |       |                          |
| Class I<br>any amount                |                           |       |                          |
| Class II<br>any amount               |                           |       |                          |
| Class III<br>1 gallon                |                           |       |                          |
| Class IV<br>2 gallons                |                           |       |                          |
| Class V<br>no permit required        |                           |       |                          |
| <u>Solids</u>                        |                           |       |                          |
| Class I<br>any amount                | Yes (annual per location) | \$185 | see inspection fee below |
| Class II<br>any amount               |                           |       |                          |
| Class III<br>10 pounds               |                           |       |                          |
| Class IV<br>20 pounds                |                           |       |                          |
| Class V<br>no permit required        |                           |       |                          |

**Pyrophoric materials**

Gases

see compressed gases

Liquids

any amount

Solids

100 pounds

**Toxic materials**

Gases

see compressed gases

Liquids

10 gallons

Solids

100 pounds

**Unstable (reactive) materials**

Liquids

Class 4

any amount

Class 3

any amount

Class 2

5 gallons

Class 1

10 gallons

Solids

Class 4

any amount

Class 3

any amount

Class 2

50 gallons

Class 1

100 gallons

**Water reactive materials**

Class 3

any amount

Class 2

5 gallons

Class 1

55 gallons

Solids

Class 3

any amount

Class 2

50 pounds

Class 1

500 pounds

For SI: 1 gallon = 3.785 L, 1 pound = 0.454 kg.

|  |   |              |   |
|--|---|--------------|---|
| <p>a. Twenty gallons when <u>Table 5003.1.1(1)</u> Note k applies and hazard identification signs in accordance with <u>Section 5003.5</u> are provided for quantities of 20 gallons or less.</p> <p>b. Two hundred pounds when <u>Table 5003.1.1(1)</u> Note k applies and hazard identification signs in accordance with <u>Section 5003.5</u> are provided for quantities of 200 pounds or less</p>   |   |              |   |
| <p><b>HPM facilities.</b> An operational permit is required to store, handle or use hazardous production materials.</p>  | <p>Yes (annual per location)</p>  | <p>\$185</p> | <p>see inspection fee below</p>   |
| <p><b>High piled storage.</b> An operational permit is required to use a building or portion thereof as a high-piled storage area exceeding 500 square feet (46 m<sup>2</sup>).</p>  | <p>Yes (annual per location)</p>  | <p>\$185</p> | <p>see inspection fee below</p>   |
| <p><b>Hot work operations.</b> An operational permit is required for hot work including, but not limited to:</p> <ol style="list-style-type: none"> <li>1. Public exhibitions and demonstrations where hot work is conducted.</li> <li>2. Use of portable hot work equipment inside a structure.</li> </ol> <p><b>Exception:</b> Work that is conducted under a construction permit.</p> <ol style="list-style-type: none"> <li>3. Fixed-site hot work equipment such as welding booths.</li> <li>4. Hot work conducted within a hazardous fire area.</li> <li>5. Application of roof coverings with the use of an open-flame device.</li> <li>6. When approved, the fire official shall issue a permit to carry out a Hot Work Program. This program allows approved personnel to regulate their facility's hot work operations. The approved personnel shall be trained in the fire safety aspects denoted in this chapter and shall be responsible for issuing permits requiring compliance with the requirements found in this chapter. These permits shall be issued only to their employees or hot work operations under their supervision.</li> </ol> | <p>Facility: Yes (annual per location) --Fixed Site: Yes (annual per location)--Other: per event/location Yes(30 days/location)</p> | <p>\$185</p> | <p>Facility and Fixed site see inspection fee below. Other: Yes (30 day/location)</p> |
| <p><b>Industrial ovens.</b> An operational permit is required for operation of industrial ovens regulated by Chapter 30.</p>   | <p>Yes (annual per location)</p>  | <p>\$185</p> | <p>see inspection fee below</p>   |



|   |   |   |                                 |
|---|---|---|---------------------------------|
| <p><b>Lumber yards and woodworking plants.</b> An operational permit is required for the storage or processing of lumber exceeding 100,000 board feet (8,333 ft<sup>3</sup>) (236 m<sup>3</sup>).</p>   | <p>Yes (annual per location)</p>                              | <p>\$185</p>                            | <p>see inspection fee below</p> |
| <p><b>Liquid-fueled or gas-fueled vehicles or equipment in assembly buildings.</b> An operational permit is required to display, operate or demonstrate liquid-fueled or gas-fueled vehicles or equipment in assembly buildings.</p>  | <p>Yes (per event 30 days/location)</p>                       | <p>\$185</p>                            | <p>see inspection fee below</p> |
| <p><b>LP-gas.</b> An operational permit is required for.</p> <p>1.Storage and use of LP-gas.</p> <p><b>Exception:</b> An operational permit is not required for individual containers with a 500-gallon (1893 L) water capacity or less or multiple container systems having an aggregate quantity not exceeding 500 gallons (1893 L), serving occupancies in Group R-3.</p> <p>2.Operation of cargo tankers that transport LP-gas.</p> | <p>Yes (annual per location)</p>                              | <p>\$185</p>                            | <p>see inspection fee below</p> |
| <p><b>Magnesium.</b> An operational permit is required to melt, cast, heat treat or grind more than 10 pounds (4.54 kg) of magnesium.</p>   | <p>Yes (annual per location)</p>                              | <p>\$185</p>                            | <p>see inspection fee below</p> |
| <p><b>Miscellaneous combustible storage.</b> An operational permit is required to store in any building or upon any premises in excess of 2,500 cubic feet (71 m<sup>3</sup>) gross volume of combustible empty packing cases, boxes, barrels or similar containers, rubber tires, rubber, cork or similar combustible material.</p>  | <p>Yes (annual per location)</p>                              | <p>\$185</p>                            | <p>see inspection fee below</p> |
| <p><b>Mobile food preparation vehicles.</b> A permit is required for mobile food preparation vehicles equipped with appliances that produce smoke or grease laden vapors. <b>Exception: Recreational vehicles used for private recreation.</b></p>  | <p>Yes (annual or per event)</p>                              | <p>\$50 per event or \$100 annually</p> | <p>see inspection fee below</p> |
| <p><b>Open burning.</b> An operational permit is required for the kindling or maintaining of an open fire or a fire on any public street, alley, road, or other public or private ground. Instructions and stipulations of the permit shall be adhered to.</p> <p><b>Exception:</b> Recreational fires.</p>   | <p>Yes (Land clearing operations only - 60 days/location)</p> | <p>\$185</p>                            | <p>see inspection fee below</p> |

|   |                                    |                              |                          |
|---|------------------------------------|------------------------------|--------------------------|
| <b>Open flames and candles.</b> An operational permit is required to use open flames or candles in connection with assembly areas, dining areas of restaurants or drinking establishments.  | Yes (annual per location/event)    | \$50 per event/ \$100 annual | No                       |
| <b>Open flames and torches.</b> An operational permit is required to remove paint with a torch; or to use a torch or open-flame device in a wildfire risk area.   | Yes (per event- 30 days /location) | \$185                        | see inspection fee below |
| <b>Organic coatings.</b> An operational permit is required for any organic-coating manufacturing operation producing more than 1 gallon (4 L) of an organic coating in one day.   | Yes (annual per location)          | \$185                        | see inspection fee below |
| <b>Places of assembly.</b> An operational permit is required to operate a place of assembly. (greater than 50 people)   | Yes (annual per location)          | \$185                        | see inspection fee below |
| <b>Private fire hydrants.</b> An operational permit is required for the removal from service, use or operation of private fire hydrants.<br><b>Exception:</b> An operational permit is not required for private industry with trained maintenance personnel, private fire brigade or fire departments to maintain, test and use private hydrants. | Yes (annual per location)          | \$185                        | see inspection fee below |
| <b>Pyrotechnic special effects material.</b> An operational permit is required for use and handling of pyrotechnic special effects material.  | Yes (per event-1 day/location)     | \$185                        | see inspection fee below |
| <b>Pyroxylin plastics.</b> An operational permit is required for storage or handling of more than 25 pounds (11 kg) of cellulose nitrate (pyroxylin) plastics and for the assembly or manufacture of articles involving pyroxylin plastics.   | Yes (annual per location)          | \$185                        | see inspection fee below |
| <b>Refrigeration equipment.</b> An operational permit is required to operate a mechanical refrigeration unit or system regulated by Chapter 6.  | Yes (annual per location)          | \$185                        | see inspection fee below |
| <b>Repair garages and service stations.</b> An operational permit is required for operation of repair garages and automotive, marine and fleet service stations. <b>Note: (If in conjunction with Flammable/Commustible Liquid permit than no fee for this permit)</b>  | Yes (annual per location)          | \$185                        | see inspection fee below |
| <b>Rooftop heliports.</b> An operational permit is required for the operation of a rooftop heliport.  | Yes (annual per location)          | \$185                        | see inspection fee below |

|  |  |       |                          |
|--|--|-------|--------------------------|
| <b>Spraying or dipping.</b> An operational permit is required to conduct a spraying or dipping operation utilizing flammable or combustible liquids or the application of combustible powders regulated by Chapter 24.   | Yes (annual per location)                      | \$185 | see inspection fee below |
| <b>Storage of scrap tires and tire byproducts.</b> An operational permit is required to establish, conduct or maintain storage of scrap tires and tire byproducts that exceeds 2,500 cubic feet (71 m3) of total volume of scrap tires and for indoor storage of tires and tire byproducts.  | Yes (annual per location)                      | \$185 | see inspection fee below |
| <b>Temporary membrane structures and tents.</b> An operational permit is required to operate an air-supported temporary membrane structure or a tent.<br><b>Exceptions:</b><br>1. Tents used exclusively for recreational camping purposes.<br>2. Tents and air-supported structures that cover an area of 900 square feet (84 m2) or less, including all connecting areas or spaces with a common means of egress or entrance and with an occupant load of 50 or less persons. <b>Note: (permit good for 30 days with a maximum of 5 renewal, total of 180 days within a 12 month period allowed before tent must come down.)</b> | Yes (per event- good for 30 days per location) | \$185 | No                       |
| <b>Tire-rebuilding plants.</b> An operational permit is required for the operation and maintenance of a tire-rebuilding plant.   | Yes (annual per location)                      | \$185 | see inspection fee below |
| <b>Waste handling.</b> An operational permit is required for the operation of wrecking yards, junk yards and waste material-handling facilities.   | Yes (annual per location)                      | \$185 | see inspection fee below |
| <b>Wood products.</b> An operational permit is required to store chips, hogged material, lumber or plywood in excess of 200 cubic feet (6 m3)  | Yes (annual per location)                      | \$185 | see inspection fee below |

| Purpose  | Description    | Fee  |
|--|----------------|--|
| Facility Inspection Fees (in any fixed facility requiring a permit in table 107.2 of the Virginia Statewide Fire Prevention Code.) | Inspection Fee | Two hours per permit, no charge \$50/hr thereafter |

|  |  |   |
|--|--|---|
| Required Fire Inspections for Social Service License (ex: Day care/Adultcare etc.) | Fire inspection  | 1-8 Persons \$25, 9-20 Persons \$50, 21-50 Persons \$100, 51-100 Persons \$200, 101-150 persons \$300, 151-200 persons \$400  |
| Re-inspection Fee  | After initial inspection, if all violations are corrected, \$25 re-inspection fee. If not, then each additional re-inspection incurs a \$75 fee, until an agreement on remediation is reached or all violations are corrected. | \$25 (violations corrected)<br>\$75 (per re-inspection after the first)   |
| Manassas Park Plans Review Fee   | Site Plans, Systems Plans, Special Use Permits, Home Occupation Permits and all other plans. This fee is collected by Community Development when plans are submitted.  | \$50 per submission   |
| Manassas Park Fire Code Board of Appeals Request.                                  | Similar to the Zoning Variance and Appeals Process to offset cost of the Fire Board of Appeals.  | \$500 per application/ appeal   |
| Manassas Park Sprinkler/Alarm system inspections.                                  | New construction inspection of systems   | \$100 per zone.   |
| Request for Fire Code Modification   | Similar to the Zoning Variance.  | \$200 per request   |
| Off hours inspection Fee   | After hours inspections  | \$150 per hour/ 2 hour minimum  |
| False Alarm Fee  | False alarms at a single protected premises within the same one month period, users shall be charged a service charge per tactical unit dispatched.  | 4th alarm \$100 per tactical unit dispatched, after 4th alarm the fee shall increase by \$50 for each successive false alarm. |